Amendments to the Claims

Claim listing:

- 1. (Currently amended) An integrated blade cooler for electronic components comprising a blower, an electric drive and a heatsink, wherein:
- (i) said blower comprises comprising a radial impeller and a casing with an inlet and an outlet;
- (ii) said radial impeller comprises comprising blades, a backplate disk and an axis of rotation:
- (iii) said electric drive comprises comprising a magnetic rotor and a stator made as a part of said casing and located perpendicularly to said axis of rotation;
- (iv) said radial impeller comprises magnetic means at least part of said blades being magnetized in the direction parallel to said axis of rotation and serving as [[a]] said magnetic rotor of said electric drive;
- (v) said heatsink comprises comprising heat-exchanging means clothed in a cover plate with an outflow opening and a base providing thermal contact with said electronic component and said heat exchanging means;
- (vi) <u>said heat-exchanging means being clothed in a cover plate with an outflow</u> opening;
- (vii) said outflow opening of said cover plate being coincided with said inlet of the blower, thus cooling gas flows through said heat-exchanging means, said blower inlet, said radial impeller, and said blower outlet in a series way.
- 2. (Currently amended) The cooler as claimed in claim 1, wherein said stator [[is]] being made as a printed circuit board.
- 3. (Currently amended) The cooler as claimed in claim 1, wherein at least part of said cover plate [[is]] being made as a part of said casing so that said outflow opening serves as said inlet of the blower.
- 4. (Canceled).
- 5. (Canceled).

- 6. (Currently amended) The cooler as claimed in claim [[3]] 1, wherein said radial impeller further comprises comprising a shroud made from the magnet-conducting material that contacts with said magnetic blades.
- 7. (Currently amended) The cooler as claimed in claim 1, wherein said backplate disk [[is]] being magnetized.
- 8. (Currently amended) The cooler as claimed in claim 1, wherein said radial impeller further comprises comprising a magnetic shroud.
- 9. (Currently amended) The cooler as claimed in claim 1, wherein said radial [[type]] impeller [[is]] being made as a drum type impeller.
- 10. (Currently amended) The cooler as claimed in claim 1, wherein said stator [[is]] being located on the side of said blower opposite to [[the]] said heatsink.
- 11. (Currently amended) The cooler as claimed in claim 1, wherein said stator [[is]] being made as a part of said cover plate.
- 12. (Currently amended) The cooler as claimed in claim 11, further comprising <u>a</u> magnetic insulation between said stator and said heatsink.
- 13. (Canceled).
- 14. (Currently amended) The cooler as claimed in claim 1, further comprising [[two]] an additional stators stator being made as [[parts]] part of said casing and located perpendicularly to said axis of rotation, said additional stator and said stator being located on the opposite sides of said blower.
- 15. (Currently amended) The cooler as claimed in claim 1, wherein a side part of said casing parallel to said axis of rotation has two outlets further comprising an additional outlet located on the opposite sides of said blower to said outlet.
- 16. (Currently amended) The cooler as claimed in claim 1, wherein [[said]] <u>a</u> side part of [[the]] <u>said</u> casing <u>being</u> made as <u>several</u>, at least three[[,]] elements like pillars, <u>located</u> at <u>distances one from another forming several outlets of said blower</u>.
- 17. (Currently amended) The cooler as claimed in claim 1, wherein said heat-exchanging means [[are]] being pins or/and fins.
- 18. (Currently amended) The cooler as claimed in claim 1, wherein said heatsink [[has]] comprising a recess on the side of [[an]] said outflow opening, and said blower [[is]] being located in said recess.

- 19. (Currently amended) The cooler as claimed in claim 18, wherein the depth of said recess is so that the side of said casing of the blower opposite to said heatsink [[is]] being located in about the same level as said cover plate of said heatsink.
- 20. (Currently amended) The cooler as claimed in claim 18, wherein said recess with said blower [[is]] being located [[in]] at the central part of said heatsink.